

**NAME**

CURLOPT\_SSL\_CTX\_FUNCTION – SSL context callback for OpenSSL or wolfSSL/CyaSSL

**SYNOPSIS**

#include &lt;curl/curl.h&gt;

CURLcode ssl\_ctx\_callback(CURL \*curl, void \*ssl\_ctx, void \*userptr);

CURLcode curl\_easy\_setopt(CURL \*handle, CURLOPT\_SSL\_CTX\_FUNCTION,  
ssl\_ctx\_callback);**DESCRIPTION**

This option only works for libcurl powered by OpenSSL or wolfSSL/CyaSSL. If libcurl was built against another SSL library this functionality is absent.

Pass a pointer to your callback function, which should match the prototype shown above.

This callback function gets called by libcurl just before the initialization of an SSL connection after having processed all other SSL related options to give a last chance to an application to modify the behaviour of the SSL initialization. The *ssl\_ctx* parameter is actually a pointer to the SSL library's *SSL\_CTX*. If an error is returned from the callback no attempt to establish a connection is made and the perform operation will return the callback's error code. Set the *userptr* argument with the *CURLOPT\_SSL\_CTX\_DATA(3)* option.

This function will get called on all new connections made to a server, during the SSL negotiation. The *SSL\_CTX* pointer will be a new one every time.

To use this properly, a non-trivial amount of knowledge of your SSL library is necessary. For example, you can use this function to call library-specific callbacks to add additional validation code for certificates, and even to change the actual URI of a HTTPS request (example used in the lib509 test case). See also the example section for a replacement of the key, certificate and trust file settings.

**DEFAULT**

NULL

**PROTOCOLS**

All TLS based protocols: HTTPS, FTPS, IMAPS, POP3, SMTPS etc.

**EXAMPLE**

TODO

**AVAILABILITY**

Added in 7.11.0 for OpenSSL. Added in 7.42.0 for wolfSSL/CyaSSL. Other SSL backends not supported.

**RETURN VALUE**

Returns CURLE\_OK if the option is supported, and CURLE\_UNKNOWN\_OPTION if not.

**SEE ALSO**

CURLOPT\_SSL\_CTX\_DATA(3), CURLOPT\_SSL\_VERIFYPEER(3),